

December 29, 2022

Andrew Koo 13203 SE 172nd Ave., Ste 166-365 Happy Valley, OR 97086

Re: Preapplication Report

Dear Andrew:

Enclosed is the Preapplication Report Summary from your meeting with the City on December 15, 2022, concerning your proposal for action on property located at 10598 SE 53rd Place.

A preapplication conference is required prior to submittal of certain types of land use applications in the City of Milwaukie. Where a preapplication conference is required, please be advised of the following:

- Preapplication conferences are valid for a period of 2 years from the date of the conference. If a land use application or development permit has not been submitted within 2 years of the conference date, the Planning Manager may require a new preapplication conference.
- If a development proposal is significantly modified after a preapplication conference occurs, the Planning Manager may require a new preapplication conference.

If you have any questions concerning the content of this report, please contact the appropriate City staff.

Sincerely,

Emilie Bushlen

Administrative Specialist II



CITY OF MILWAUKIE
6101 SE Johnson Creek Blvd
Milwaukie OR 97206
503.786.7600
planning@milwaukieoregon.gov
building@milwaukieoregon.gov
engineering@milwaukieoregon.gov

Preapplication Conference Report

Project ID: 22-019PA

This report is provided as a follow-up to the meeting that was held on 12/15/2022 at 10:00 AM

The Milwaukie Municipal Code is available here: www.qcode.us/codes/milwaukie/

	APPLICANT AND PROJECT INFORMATION				
Applicant: Andrew Koo		Andrew Koo	Applicant Role: Developer		
App	olicant Address:	13203 SE 172	^{2nd} Ave Ste 166-365, Happy Valley, OR 97086		
Con	npany:	N/A			
Proj	ect Name:	Quadplex o	r Townhouse Development		
Proj	ect Address:	10598 SE 53rd	d PI Zone: R-MD		
Proj	ect Description:	Proposal to	develop a vacant lot with either a quadplex or townhouse development.		
Curi	rent Use:	Vacant.			
App	olicants Present:	Andrew Koc			
Staf	f Present:	Ryan Dyar, A	Assistant Planner; Jennifer Backhaus, Engineering Technician II		
			PLANNING COMMENTS		
			Zoning Compliance (MMC Title 19)		
⊠	Use Standards (e.g., residential, commercial, accessory)		The property is zoned Moderate Density Residential (R-MD), which allows for a variety of residential housing types, including single-unit detached dwellings, duplexes, triplexes, quadplexes, townhouses, and cottage cluster development.		
	□ Dimensional Standards		Dimensional standards for the R-MD zone are provided in Milwaukie Municipal Code (MMC) Section 19.301 (specifically in MMC Subsection 19.301.4), and they vary somewhat depending on the lot size and the type of housing that's proposed.		
			The applicant should note that if they decide to build townhouses, the minimum dimensional requirement for a townhouse lot is 70 ft long by 20 ft wide. The minimum lot size of 1,500 sq. ft. All these standards must be met unless a variance is requested.		
			Land Use Review Process		
	Applications Needed, Fees, and Review Type		Should the applicant decide that they wish to build townhouses, a replat application would be required—depending on the number of lots the applicant wished to create, this would be processed as either a partition replat or a subdivision replat. There is no required landuse application to build the townhouses after the lots have been established—that form of		

properties	
Connectivity to surrounding	
Landscaping Requirements	The minimum vegetation requirement (percent of total lot area) is 15% for a townhouse lot between 1,500 and 2,999 sq ft per MMC Table 19.301.4. The minimum vegetation for a quadplex depends on the lot size. For a lot greater than 6,999 sq ft, 30% of the lot must be vegetated. Again, see Table 19.301.4 for vegetation standards on smaller lots. Per MMC 19.504.5, no more than 20% of the required vegetation area shall be covered in mulch or bark dust. Much and bark dust under the canopy of trees or shrubs is excluded from this limit.
	Site Improvements/Site Context
Flex Space Overlay	
Historic Preservation	
Natural Resources	
Willamette Greenway	There are no special overlays on the subject property.
	Overlay Zones (MMC 19.400)
	Development permits submitted during the appeal period may be reviewed but are not typically approved until the appeal period has ended.
	Issuance of a decision (Type II or Type IIII) starts a 15-day appeal period for the applicant and any party who establishes standing. If no appeal is received within the 15-day window, the decision becomes final. Any appeal of a Type II decision would be heard by the Planning Commission for the final local decision.
	For Type III applications, at least 20 days before the public hearing is held with the Planning Commission, notice of the application will be sent to property owners and current residents within 300 ft pf the subject property. At least 14 days prior to the hearing, notice of the application shall be posted on the subject property by the applicant. The application will also be referred to other relevant department and agencies for review and comment.
	For Type II applications, within 7 days of the application being deemed complete, public notice of the application will be sent to property owners and current residents within 300 ft of the subject property, and a sign with notice of the application must be posted on the site. The application will also be referred to other relevant departments and agencies for review and comment. Parties will have at least 14 days to provide comments before a decision is issued.
Application Process	The applicant must submit a complete electronic copy of all application materials for the City's initial review. A determination of the application's completeness will be issued within 30 days.
	 Partition Replat (Type II review) = \$2,000 Subdivision Replat (Type III review) = \$4,400 + \$100 per lots over 4 lots Final Plat (Type I review) = \$200 (processed after the preliminary plat approval)
	Similarly, no land use application is required to establish a quadplex on the site —that form of development is allowed outright in the R-MD zone. The applicant will need to obtain the necessary development permits from the Building Department for the demolition of the existing home.
	development is permitted by right in the R-MD zone. The applicant will need to obtain the necessary development permits from the Building Department for the demolition of the existing home.

Ø **Building Design Standards** MMC 19.505.1 Single Detached and Middle Housing Residential Development (MMC 19.505) No plans were provided at the time of the pre-application conference; therefore, staff has no specific comments for the applicant related to building design standards; however, the general requirements are included below. The applicant indicated during the conference that they might be interested in developing a quadplex or townhouses. Both quadplexes and townhouses are subject to the design standards in MMC 19.505.1. Design standards are summarized below for convenience, see MMC 19.505.1.C for full details. 1. Articulation – for buildings with 30 – 60 ft of frontage, a minimum of one of the following elements along the street-facing façade listed in the subsection. For buildings with less than 30 ft of street frontage, the building articulation standard is not applicable. 2. Eyes on the Street - At least 15% of the area of each street-facing façade must be windows or entrance doors. 3. Main Entrance - at least one main entrance must be no further than 8 ft behind the longest street-facing wall of the building and must face the street, be at an angle of up 45 degrees from the street, or open onto a porch. 4. Detailed Design – All buildings shall include at least 5 of the features listed in this subsection on any street-facing façade. 5. Privacy and Screening and Recycling Areas – mechanical, communication, and outdoor trash and recycling areas must be screened so they are not visible from streets and common open spaces. Utility meters must not be located within 5 ft of a front entrance and must be screened. 6. Sustainability - Development should incorporate sustainable design and building practices., MMC 19.505.5 Townhouses In addition to the design standards listed in MMC 19.505.1, which apply to all single-unit and middle-housing developments (e.g., a quadplex), there are specific design standards for townhouses. These are summarized below for convenience (see the Subsection for complete and detailed requirements). 1. Townhouses must include an area of transition between the public realm of the right-of-way and the entry to the private dwelling; that area of transition can be either vertical or horizontal. 2. In the R-MD zone, the maximum number of consecutive attached townhouses is 4. 3. If provided, garages, off-street parking areas in the front yard, and driveway access in the front of a townhouse, must comply with the standards in Subsection 19.505.5.F.1 (summarized below) a. The development of 2 or 3 townhouses must have at least one shared access between the lots and the development of 4 townhouses must have two shared accesses. Outdoor onsite parking and maneuvering areas shall not exceed 10 ft on any lot, The garage width shall not exceed 12 ft (measured inside of door frame). Shared access must be spaced a minimum of 24 ft apart. 4. If the rules in MMC Subsection 19.505.5.F.1 for access and off-street parking cannot be satisfied, the rules in MMC 19.505.5.F.2 must be met (summarized below). a. Off-street parking areas must be accessed on the back facade or located in the rear yard and townhouse development that does not include a corner lot shall consolidate access for all lots into a single driveway. The access and driveway are not allowed in the area directly between the front façade and front lot line of any of the townhouses. See Figure 19.505.5.F.2.c. **Downtown Design Standards** (MMC 19.508) Parking Standards (MMC 19.600)

	I	1		
⊠	Residential Off-Street Parking Requirements	MMC Table 19.605.1 establishes parking quantity requirements. For a townhouse or quadplex development, no parking is required. There is a maximum parking allowance of one 1.0 space per dwelling unit. Additional standards for residential off-street parking are provided in MMC Section 19.607.		
		Bicycle parking spaces must be provided in accordance with the standards in MMC 19.609.		
	Multi-Family/Commercial Parking Requirements			
		Approval Criteria (MMC 19.900)		
	Community Service Use (CSU) (MMC 19.904)			
	Conditional Use (MMC 19.905)			
	Development Review (MMC 19.906)			
⊠	Variance (MMC 19.911)	If a variance is requested for any project element, the approval criteria can be found in MMC Subsection 19.911.4—in 4.A for Type II variances and 4.B for Type III variances.		
		Land Division (MMC Title 17)		
⊠	Design Standards	MMC Section 17.28.040 establishes general standards for lot design, including a requirement for rectilinear lots (as practicable) and limits on compound lot line segments.		
⊠	Preliminary Plat and Replat Requirements	MMC Section 17.16.060 provides application requirements and procedures for preliminary plats, including a reference to the City's preliminary plat checklist. The checklist outlines the specific pieces of information that must be shown on the plat, based on the provisions for preliminary plat established in MMC Chapter 17.20.		
		MMC Section 17.12.040 establishes approval criteria for preliminary plats. The application must include a narrative description demonstrating that the proposal meets all applicable code requirements and design standards, and it must meet the following criteria:		
		(1) the proposed plat complies with Title 19 and other applicable regulations and standards.		
		(2) the proposed land division allows for reasonable development and does not create the need for a variance.		
		(3) the proposed subdivision plat name is not duplicative and satisfies all applicable standards of ORS 92.090(1).		
		(4) the streets and roads are laid out so as to conform to the plats of subdivisions already approved for adjoining property as to width, general direction, and in all other respects unless the City determines it is in the public interest to modify the street pattern.		
		MMC Section 17.16.050 provides application requirements for a replat application. They include:		
		 Completed application form signed by all owners of the property included in the proposal. The application fee as adopted by the City Council. A narrative report that describes how the proposal meets approval criteria. Additional information as may be required by the application checklist. Additional information including full submission requirements for the preliminary plat (described above) as may be required by the Planning Director upon review of the proposal. 		

		MMC Section 17.12.030 establishes approval criteria for a replat. The proposal must meet the following criteria to be approved.
		 Compliance with Title 17 and Title 19 of the Milwaukie Municipal Code. The replat will allow for reasonable redevelopment of the affected lots and will not create the need for a variance of any land division or zoning standard. Boundary changes shall not reduce residential density below the minimum density requirements of the zoning district in which the property is located.
	Final Plat Requirements (See Engineering Section of this Report)	MMC Section 17.16.070 provides application requirements and procedures for final plats, with a reference to the City's final plat checklist. The checklist outlines the specific pieces of information that must be shown on the plat, based on the provisions for final plat established in MMC Chapter 17.24.
		MMC Section 17.12.050 establishes the following approval criteria for final plats:
		(1) Compliance with the preliminary plat approved by the approval authority, with all conditions of approval satisfied.
		(2) The preliminary plat approval has not lapsed.
		(3) The streets and roads for public use are dedicated without reservation or restriction other than revisionary rights upon vacation of any such street or road and easements for public utilities.
		(4) The plat contains a donation to the public of all common improvements, including streets, roads, parks, sewage disposal, and water supply systems.
		(5) All common improvements required as conditions of approval have been described and referenced on the plat, and where appropriate, instruments to be recorded have been submitted.
		(6) The plat complies with the Zoning Ordinance and other applicable ordinances and regulations.
		(7) Submission of signed deeds when access control strips are shown on the plat.
		(8) The plat contains an affidavit by the land surveyor who surveyed that the land represented on the plat was correctly surveyed and marked with proper monuments as provided by ORS Chapter 92.060. The plat must indicate the initial point of the survey and give the dimensions and kind of such monument and its reference to some corner established by the U.S. Survey or giving two or more objects for identifying its location.
		Note that construction of all required public improvements must be completed, inspected, and accepted by the City prior to the City's sign-off on the final plat, unless an arrangement for bonding or other interim measure is made and agreed upon by the City.
		Sign Code Compliance (MMC Title 14)
	Sign Requirements	
		Noise (MMC Title 16)
	Noise Mitigation (MMC 16.24)	
		Neighborhood District Associations
⊠	Linwood	Prior to submitting the application, the applicant is encouraged (but not required) to present the project at a regular meeting of the relevant Neighborhood District Association
	Choose an item.	(NDA), in this case, the property is location within the Linwood NDA.

	T	Library and NIDA Classic
	Choose an item.	Linwood NDA Chair
		Elizabeth Start
		linwoodnda@gmail.com or 503-430-9758
		Meets second Thursday of most months at 7:00 PM at Linwood Elementary School in the library. Next meeting is on Thursday, January 12 th , 2023, at 7:00 PM.
	<u> </u>	Other Permits/Registration
	Business Registration	
	Home Occupation Compliance (MMC 19.507)	
		Additional Planning Notes
Nor	ne.	
	ı	ENGINEERING & PUBLIC WORKS COMMENTS
		Public Facility Improvements (MMC 19.700)
	Applicability (MMC 19.702)	MMC 19.702 establishes the applicability of MMC 19.700, including to partitions, subdivisions, replats, new construction, and modification and/or expansion of an existing structure or a change or intensification in use that results in a new dwelling unit, any new increase in gross floor area, and/or in any projected increase in vehicle trips.
		The proposed development is to establish four new units in a quadplex style middle housing development. MMC 19.700 applies.
	Transportation Facilities Review (MMC 19.703)	A Transportation Facilities Review (TFR) Land Use Application is not required.
	Transportation Impact Study (MMC 19.704) A Transportation Impact Study (TIS) is not required.	
	Agency Notification (MMC 19.707)	Agency notification is not required for this development.
×	Transportation Requirements (MMC 19.708)	Right-of-Way dedication is required for this development for the entire 80' of new frontage to extend 53 rd Pl. A total of 20' is required to construct the required half-street improvements. The property currently has 15' of frontage. Either an agreement with the property to the west (10600 SE 52 nd Ave) to have them dedicate at the same time or by purchasing 5' of their property is required to reach the 20' dedication requirement. Without full dedication an easement to extend utilities may be required.
		Half street improvements for the entire length of the dedicated frontage are required. Half street improvements may include (but are not limited to): sidewalk, curb, new road, and landscape strips. Final design will be determined at plan review. A woonerf design may be acceptable for this development.
		Access Management: All development subject to MMC 19.700 shall comply with access management standards contained in MMC 12.16.
		Clear Vision: All developments subject to MMC 19.700 shall comply with clear vision standards contained in MMC 12.24.
×	Utility Requirements	A 10-ft public utility easement (PUE) will be required along the new 53 rd PI extension.

	(MMC 19.709)	New water and wastewater mains along 53rd PI will need to be extended to the southern edge of the property to facilitate service laterals for this development. Construction of the new mains must be designed and improved in accordance with the City of Milwaukie's Public Works Standards. The applicant must provide engineered plans for review and approval prior to construction. A Right-of-Way permit is required to construct these improvements.				
		Flood Hazard Area (MMC 18)				
	Development Permit (MMC 18.16.030)	The subject property is not in a flood hazard zone				
	General Standards (MMC 18.04.150)					
	Compensatory Storage (MMC 18.20.020)					
	Floodways (MMC 18.20.010.B)					
		Environmental Protection (MMC 16)				
	Weak Foundation Soils (MMC 16.16)					
⊠	Erosion Control (MMC 16.28)	Erosion control and prevention is required as outlined in MMC16.28				
		Projects that disturb more than 500 square feet within the City of Milwaukie limits require an Erosion Control Permit from the City's Building Department. Even projects that are less than 500 square feet may require a permit based on site conditions and proximity to natural resources such as wetlands and waterways. The applicant must submit an erosion control plan for their project that accurately depicts how sediment will be controlled during the duration of the project.				
		Please review the City's <u>Erosion Prevention and Sediment Control requirements</u> . The applicant is encouraged to use the City's adopted <u>Erosion Prevention and Sediment Control Planning & Design Manual (2020)</u> for assistance in designing an erosion control plan.				
		Development sites between 1 acre and 5 acres should apply for a 1200-CN permit as outlined on https://www.milwaukieoregon.gov/publicworks/1200cn . Applicants will use the DEQ 1200-C permit application but submit it to the city for review and approval through the Milwaukie Erosion and Sediment Control Program. A 1200-C permit can be found on the DEQ website at https://www.oregon.gov/deq/wq/wapermits/Pages/Stormwater-Construction.aspx . Applicants do not need to submit a permit to DEQ if under 5 acres in site size.				
		For more information, please visit https://www.milwaukieoregon.gov/publicworks/erosion-prevention-and-control or contact erosioncontrol@milwaukieoregon.gov .				
	Tree Code (MMC 16.32)	All public trees over 2" in diameter at breast height (DBH) are regulated by the public tree code. Public trees are to be protected through development and included on the inventory and protection plan required by the private development tree code (MMC 16.32.042). Public tree removals require an approved permit for removal, which includes a notice period lasting 14 days but can extend to 28 days if public comment is received.				
		Public trees require a permit for planting (free) – visit <u>milwaukieoregon.gov/trees</u> to learn more.				
		Frontage improvements include tree replanting requirements in the ROW following the public works standards. Public trees may count for partial credit in the development tree code as described in MMC 16.32.042.				

The tax lot included in the development site will be subject to the development tree code (MMC 16.32.042 A-H). If dividing the existing lot, the development tree code and the included standards apply to each tax lot independently. If the applicant consolidates tax lots, the final consolidated tax lot would be subject to the development tree code.

The development tree code requires for this development compliance and/or mitigation associated with the following standards:

- Preservation standard
- Planting Standard
- Protection Standard
- Soil volume standard.

For more information on these standards, view the documents attached at the bottom of the residential development tree permits webpage here. Mitigation fees are outlined in the Master Fee Schedule. The applicant may seek a variance for one or more of these standards through a Type III variance process (MMC 16.32.042.E)

Bonds are required for tree protection and post development warranties as outlined in the Master Fee Schedule.

Submittal requirements are outlined in MMC 16.32.042.H. An ISA Certified Arborist is required to submit the final documents to the city as defined in MMC 16.32.042. Additional supportive documentation, including canopy lists and tree protection and planting guidance are available at www.milwaukieoregon.gov/trees.

The development tree code application is due at time of building permit application unless a variance is being requested through the land use application process. Building permits will not be approved without completion and approval of the development tree code application.

For more information, please contact <u>urbanforest@milwaukieoregon.gov</u> or call 503-786-7655.

Public Services (MMC 13)

☑ Water System (MMC 13.04)

A water main must be extended to the south to service the property. A 6-in main is available at the west edge of the cul-de-sac to the north. The main must be extended to the southern edge of the developed property. Location of water main to be approved during plan review but must be located under pavement and have at least a 10' horizontal separation from wastewater mains.

Division of the lot to facilitate the sale of individual units will require individual connections for each unit. Middle housing options on a single lot may share one master water meter with appropriately sized service.

Connection to City utilities is subject to plan and application review. Applications for City utility billing connections shall be made on approved forms: https://www.milwaukieoregon.gov/building/water-connection-application

A system development charge and a water service connection fee must be paid prior to new connections to city water.

A Right-of-Way Permit is required to complete this work.

Sewer System (MMC 13.12)

A wastewater main must be extended to the south to service the property. An 8-in concrete main is available in the cul-de-sac to the north. The main must be extended to the southern edge of the developed property. Location of the sewer main to be approved during plan review but must be located under pavement and have at least a 10' horizontal separation from water mains. A manhole is required at the end of the new sewer main extension.

Division of the lot to facilitate the sale of individual units will require individual connections for each unit. Connection and extension of City utilities is subject to plan and application review.

		A system development charge must be paid prior to new connections or impacts due to intensification of use to city sanitary sewer.				
		A Right-of-Way Permit is required to complete this work.				
⊠	Stormwater Management (MMC 13.14)	Stormwater mitigation must meet the City's National Pollutant Discharge Elimination System (NPDES) permit through design of facilities according to the 2016 City of Portland Stormwater Management Manual.				
		All new impervious surface in excess of 500 square feet is required to be treated on site. Drywells may be used provided the stormwater report demonstrates appropriate infiltration Pollution reduction is required prior to stormwater discharge to a drywell. Stormwater facilities are subject to plan review.				
		A system development charge must be paid prior to building permit issuance.				
⊠	System Development Charge (MMC 13.28.040)	All new development or intensification of use shall be subject to system developments charges.				
		Latest charges are determined by the City's Fee Schedule available here: https://www.milwaukieoregon.gov/finance/fees-charges				
		An estimate for a new quadplex has been provided as part of this report.				
		Public Places (MMC 12)				
⊠	Right of Way Permit (MMC 12.08.020)	A right-of-way (ROW) permit will be required for all utility work, road construction, accessways, and frontage improvements within the right-of-way.				
⊠	Access Requirements (MMC 12.16.040)	Per MMC 12.16.040, private property must be provided street access via accessways (driveways). These driveways must be constructed under a ROW permit in accordance with the current Milwaukie Public Works Standards.				
		A shared accessway for multi-unit residential developments with up to 4 units shall have a minimum driveway apron width of 12 ft. Driveway widths are based on units and not available parking space.				
		The new approach design is subject to plan review and a ROW permit is required. The nearest edge of the driveway approach shall be at least 5 ft from the side property line.				
⊠	Clear Vision (MMC 12.24)	A clear vision area shall be maintained at all driveways and accessways.				
						

Additional Engineering & Public Works Notes

An SDC estimate is attached to this report. Estimate assumes a single 1-in water meter servicing a quadplex style middle housing development with four units (800-1,799 sq ft each).

A reimbursement district will be created to offset the cost of development. If the lots to the west and/or south develop within the next ten years, a portion of the frontage and utility fees will be paid to the applicant.

BUILDING COMMENTS

All drawings must be submitted electronically through www.buildingpermits.oregon.gov

New buildings or remodels shall meet all the provisions of the current applicable Oregon Building Codes. All State adopted building codes can be found online at: https://www.oregon.gov/bcd/codes-stand/Pages/adopted-codes.aspx.

All building permit applications are electronic and can be applied for online with a valid CCB license number or engineer/architect license at www.buildingpermits.oregon.gov. Each permit type and sub-permit type are separate permits and are subject to the same time review times and will need to be applied for individually. Plans need to be uploaded to their specific permits in PDF format as a total plan set (not individual pages) if size allows.

Note: Plumbing and electrical plan reviews (when required) are done off site and are subject to that jurisdiction's timelines. The City does not have any control over those timelines, so please plan accordingly.

Site utilities require a separate plumbing permit and will require plumbing plan review. **NOTE:** The grading plan submitted to the Engineering Department does not cover this review.

If you have any building related questions, please email us at building@milwaukieoregon.gov.

	OTHER FEES				
×	Construction Excise Tax Affordable Housing CET – Applies to any project with a construction value of over 100,000.	Calculation: Valuation *12% (.12)			
×	Metro Excise Tax Metro – Applies to any project with a construction value of over \$100,000.	Calculation: Valuation *.12% (.0012)			
×	School Excise Tax School CET – Applies to any new square footage.	Calculation: Commercial = \$0.69 a square foot, Residential = \$1.39 a square foot (not including garages)			

FIRE DISTRICT COMMENTS

No comments were provided from the fire district. Please reach out to Shawn Olsen with Clackamas County Fire District #1 with questions (contact information on last page of this report).

COORDINATION WITH OTHER AGENCIES

Applicant must communicate directly with outside agencies. These may include the following:

- Metro
- Trimet
- North Clackamas School District
- North Clackamas Parks and Recreation District (NCPRD)
- Oregon Parks and Recreation
- ODOT/ODOT Rail
- Department of State Lands
- Oregon Marine Board
- Oregon Department of Fish and Wildlife (ODOT)
- State Historic Preservation Office
- Clackamas County Transportation and Development

MISCELLANEOUS				
State or County Approvals Needed				
Boi	ler Approval (State)			
Ele	vator Approval (State)			
	alth Department Approval ounty)			
		Arts Tax		
Nei	ghborhood Office Permit			
		Other Right-of-Way Permits		
Ma	jor:			
Mir	or:			
	nted Intersection Program mits:			
	artMOB Application			
	Traffic Control Plan (Engineering)			
Par	klet:			
	Parklet Application/ Planning Approval			
	Engineering Approval			
	Building Approval			
Sid	ewalk Café:			
Tre	e Removal Permit:			
		Infrastructure/Utilities		
 pplicant must communicate directly with utility providers. These may include the following: PGE NW Natural Clackamas River Water (CRW) Telecomm (Comcast, Century Link) Water Environmental Services (WES) Garbage Collection (Waste Management, Hoodview Disposal and Recycling) 				
		Economic Development/Incentives		
Ent	erprise Zone:			

Vertical Housing Tax Credit:	
New Market Tax Credits:	
Housing Resources:	
PLEASE SEE NOTI	E AND CONTACT INFORMATION ON THE FOLLOWING PAGE

This is only preliminary preapplication conference information based on the applicant's proposal, and does not cover all possible development scenarios. Other requirements may be added after an applicant submits land use applications or building permits. City policies and code requirements are subject to change. If a note in this report contradicts the Milwaukie Municipal Code, the MMC supersedes the note. If you have any questions, please contact the City staff that attended the conference (listed on Page 1). Contact numbers for these staff are City staff listed at the end of the report.

Sincerely,

City of Milwaukie Development Review Team

BUILDING DEPARTMENT		
Vacant Harmony Drake Stephanie Marcinkiewicz	Building Official Permit Technician Inspector/Plans Examiner	503-786-7611 503-786-7623 503-786-7636
ENGINEERING DEPARTMENT		
Steve Adams Jennifer Backhaus	City Engineer Engineering Technician III	503-786-7605 503-786-7608
PLANNING DEPARTMENT		
Laura Weigel Vera Kolias Brett Kelver Adam Heroux Ryan Dyar	Planning Manager Senior Planner Senior Planner Associate Planner Assistant Planner	503-786-7654 503-786-7653 503-786-7657 503-786-7658 503-786-7661
COMMUNITY DEVELOPMENT DEPA	ARTMENT	
Joseph Briglio Mandy Byrd Vacant Emilie Bushlen Vacant	Community Development Director Development Programs Manager Housing & Econ. Dev. Prog. Mgr. Administrative Specialist II Administrative Specialist II	503-786-7616 503-786-7692 503-786-7627 503-786-7600 503-786-7600
SUSTAINABILTY DEPARTMENT		
Natalie Rogers Courtney Wilson Galen Hoshovsky	Climate & Natural Resources Mgr. Urban Forester Environmental Services Coordinator	503-786-7668 503-786-7697 503-786-7660
CLACKAMAS FIRE DISTRICT		

Shawn Olson

Lieutenant Deputy Fire Marshal

shawn.olson@ClackamasFire.com



Permit Record: 22-019PA

SDCs

Street Address: 10598 SE 53rd Pl

Prepared By: JMB

Date: FY 2023

SDC	Reimbursement		Improve	ement	Administration	Total	
Parks	\$	14,432.00	\$	-	\$ -	\$	14,432.00
Transportation	\$	302.84	\$	6,027.32	\$ -/	\$	6,330.16
Storm Drainage	\$	-	\$	1,039.00	\$ -	\$	1,039.00
Water	\$	1,859.00	\$	1,547.00	\$ 262.00	\$	3,668.00
Sewer	\$	3,272.40	\$	482.40	\$ -	\$	3,754.80
Water Meter Set Fee	\$	370.00	\$	-	\$ -	\$	370.00
Review Fee	\$	<u>/-</u>	\$	-	\$ 165.00	\$	165.00
Wastewater Treatment	\$	27,520.00	\$	-	\$ -	\$	27,520.00
	Fees subject to change until final plans and permit issuance ASSUMPTIONS: Existing Vacant Lot with no water service.						
	PROPOSED: Attached Quadplex (800-1,799 SQFT units) with a single 1" water						
service.					Total	\$	57,278.96